

# Index

Things in this book are listed in the order of the alphabet:

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z

Page numbers in **bold** tell you where to find the main reference in this book.

Medicines included in the Green Pages are in the Index of Medicines, p. 341.

## A

**Abdomen** (See Belly)

**Abortion**, 243, 284, **414–415**

(Also see Miscarriage)

**Abscess**, 419

breast, 278

caused by injecting, 67, 69, 74

liver, 144–145

of the teeth, 230–231

under the skin, 202

**Acid Indigestion**, 128–129

**Acne (pimples)**, 211, 394, 419

**Acquired Immune Deficiency Syndrome** (See HIV and AIDS)

**Acupuncture**, 74, 401

**Acute abdomen**, 15, **93–94**, 419

(Also see Gut, Swollen belly)

**Addiction**, 416–417

**Afterbirth (placenta)**, **262–264**, 269, 426

**AIDS**, **399–401** (Also see HIV and AIDS)

**Alcoholic drinks**

and heat stroke, 81

problems caused by, 119, 148–149, 325, 326, 400, 416

**Alcoholics Anonymous**, 149, 417, 429

**Alcoholism**, **148–149**, 416–417, 419

**Allergic reaction**, 23, 54, **166**

in the skin, 203, 285, 290

medicines for, 337, 385–386

to medicines, 54, 56, 68, 70–71, 350

**Allergic rhinitis (hay fever)**, **165**, 427

**Allergic shock**, **70**, 105, 350, 385–386, 410

**Aloe vera**, 13, 129

**Amebas**, **144–145**, 336, 367–368, 419

**Amputation**, 409, 419

**Anabolic steroids**, 51

**Analgesics (painkillers)**, 378–380

**Anemia**, **124**, 419

causes of, 113, 124

during pregnancy, 248–249

in children, 307, 321

treatment, 335, 391–393

**Anesthetics**, 379–380

**Angel's Trumpet**, 12

**Angina pectoris**, 325

**Antacids**, 52, 64, **129**, 248, 324, 380–381

**Antibiotics**, 52, **55–58**, 156, 350–363

**Anti-diarrhea medicines**, 156

**Antihistamine**, 70, 165, 204, **385–386**, 419

**Antiretroviral medicines**, 396, 398

**Antispasmodic**, 235, 329, **380**

**Antitoxins**, **387–388**, 419

and allergic shock, 70, 105

for tetanus, 388

(Also see Antivenom)

**Antivenom**, 70, 387–388

for scorpion sting, 387

for snakebite, 105, 387–388

**Anus**, **233**, 419

hemorrhoids in it, 175

sores in it, 238, 400, 402, 403

**Apoplexy**, 37, 78, 288, **327**

**Appendicitis**, 36, **94–95**

**Appendix**, **94**

**Arms**

muscles and nerves in, 37

numbness or pain in, 23, 325

**Arteriosclerosis**, 326

**Arthritis (joint pain)**, **173**, 324

medicines for, 51, 378–379

**Ascaris (roundworm)**, **140–141**, 420

and asthma, 167

**Asthma**, **167**, 337, 384–385

**Athlete's foot**, 205

## B

**Babies**

examining, 34

feeding, 120–121

with diarrhea, 159, 358

with skin problems, 215

(Also see Children, Newborns)

**Back pain**, **173–174**, 248

**Bacteria**, **19**, 55, 420

**Bacterial dysentery**, 145

**Bacterial infection of the blood**, 273–275

**Bag of waters**, 256, 258, **259–260**, 420

**Bandages**, 85, 87, **101–102**, 336

**Bathing**

and hygiene, 133

newborns and babies, 7, 215, 263

postpartum mothers, 8, 276

sick persons, 7, 39

**B.C.G. vaccination**, **147**, 180, 185

**Beaded lizard bite**, 106

**Bedbugs**, 200

**Bed sores**, 13, **214**, 420

## **Beliefs**

harmful, 4, 5, 10–11

healing power of, 2

**Bell's Palsy**, 327

## **Belly**

acute abdomen, 93–94

examination of, 35–36

lumps in, 280

pain in lower belly, 243

(Also see Gut, Swollen Belly)

**Bewitchment**, 2, **6**, 420

**Bilharzia**, 146

**Biliousness**, 329

**Birth** (See Childbirth)

**Birth control** (See Family planning)

**Birth control pills**, 285, **288–289**, 393–394

**Birth defects**, 6, 247, 272, 289, **318–321**, 412

**Birth kits**, 254–255

**Birth opening** (See Vagina)

## **Bites**

of wild animals (rabies), 181

poisonous, 104–106

that may cause infection, 89

treatment, 86

**Bitot's spots**, 226

**Black flies**, 227–228

**Blackheads**, **211**, 420

**Black magic**, **5**, 24

**Black widow spider bite**, 106

**Bladder**, 233

infection, 234, 243

stones, 234, 235

**Bleach**, 74, 401

## **Bleeding**

and anemia, 124

during menopause, 246

during pregnancy, 249, 281

gums, 107, 231

how to control, 13, 82–83

in an unconscious person, 78

in the whites of the eyes, 225

of the newborn, 272, 337, 392

severe, 82, 243, 246, 264, 281, 404, 410, 414

stopping after birth, 263–266, 337, 390–391

(Also see Blood)

**Blindness**, **221–222**, 412

from injuries to the eye, 218

night blindness, 113, 226–227

protection for babies, 221, 237, 378

river blindness, 227–228, 377

## **Blisters**

from medicines, 356, 359

from touching certain plants, etc., 204

with burns, 96

with chickenpox, 311

with eczema, 216

## **Blood**

and AIDS, 75, 82–84, 399, 401

clots, 288

coughing up blood, 168

flukes, 146

in stools, 128, 144–146, 157–158, 306, 401

in the urine, 146, 234

in vomit (cirrhosis), 328

in vomit (ulcer), 128

(Also see Bleeding)

**Blood pressure**, 420

high, 125, 249, 289, 326–327, 410–411

how to measure, 410–411

low, 77, 411

(Also see Shock)

**Blood transfusion**, 399, 401

**Blueness of skin, lips, and nails**, 30

**Body-building foods**, 110

**Boil (abscess)**, **202**, 420

## **Bones**

calcium for, 246

deformities of, 125, 319

hit by a bullet, 90

that have come out of place at a joint, 101

(Also see Broken bones)

**Bottle feeding**, 120, 154, 296

**Bowel movement**, **242**, 420

(Also see Feces, Stools)

**Braces**, 315

**Brain damage**, 319–320

and seizures, 319

from high fever, 76

from tapeworm cysts, 143

**Bran**, 16, 126, 382

**Brand-name medicines**, 55, 333, **339**, 420

**Breakbone fever** (See Dengue)

**Breast abscess (mastitis)**, **278**, 424

**Breast cancer**, 279

**Breast feeding**, w 12, **120–122**

and birth control, 285, 289, 294, 394

and good nutrition, 114, 116, 304

and preventing diarrhea, 154, 156

of newborns, 271, 277, 405

traditional beliefs about, 2, 7

(Also see Breasts)

## **Breasts**

care of, 277, 279

swelling of, 278–279

**Breathing (respiration)**, 426

difficulties, 23, 57, 168, 181, 274, 325, 410

hot water vapors 47, 168

of a sick person, 32

rate, 32

stopped, 80

(Also see Lung diseases, Mouth-to-mouth

breathing)

**Breech delivery**, 257, **268**

**Broad-spectrum antibiotics**, **56**, 58, 352, 355–358

**Broken bones**, 14, **98–99**

**Bronchitis**, 170

**Brucellosis (Malta fever)**, 27, **188**

**Bubos**, **238**, 403, 420

**Bullet wound**

- in arms or legs, 90
- in the belly, 15, 92–93
- in the head, 91

**Burns, 13, 96–97**

- and leprosy, 192
- of the eye, 219

**C****Calcium**

- and rickets, 125
- danger of injecting, 53, 67
- for spider bite, 106
- for weak bones, 246
- in eggshells, 116

**Callus, 210****Cancer, 25, 412, 420**

- and oral contraceptives, 288–289
- and smoking, 119, 149, 168
- of the breast, 279
- of the eyes, 33, 217
- of the skin, 197, 211, 399
- of the womb, 280

**Candida (thrush), 232, 242, 400****Canker sores, 232****Carbohydrates (energy foods), 110, 121, 420****Carbonated drinks, 115, 150****Cardon cactus, 13, 232****Cascara, 16****Cassava, 117, 130, 420**

- for constipation, 16, 126, 382

**Cast, 14, 98, 319, 420****Castor oil, 16****Cataract, 33, 217, 225, 323, 420****Catheter, 239–240, 336, 420****Causes of illness, w6–w7, w10, w27, 17–19****Cavities in teeth, 229–230, 420****Cellulitis, 212****Cereal, 152, 381****Cerebral malaria, 30, 178, 186, 366****Cerebral palsy, 320****Cerebro-vascular accident (CVA), 37, 78, 288, 327****Cervix, 286, 291, 420****Chance, 237****Chancroid, 236, 238, 403****Chemical burns of the eye, 219****Chest wounds, 91****Chickenpox, 204, 311****Chiggers, 201, 420****CHILD-to-child program, 322****Child Health Chart, w20, w24, 297–304, 420****Childbirth**

- bleeding after, 264–265
- correct use of oxytocics, 265–266
- cutting the cord, 262–263
- difficult births, 267–269, 319
- infection, 260, 276position of the baby, 257, 261, 267
- position of the mother, 260
- premature, 262

- preparing for, 254–256
- signs of labor, 258
- tearing of the birth opening, 269

**Childbirth fever, 27, 276, 283, 420****Children**

- and diarrhea, 151–153, 159
- foods for, 112, 113, 120–122, 295
- giving injections to, 73
- growth of, 107, 297–304
- having the number you want, 283–294
- infectious diseases of, 311–315
- malnourished, 112–114, 154, 303, 305–306
- mentally slow, deaf, or deformed, 318
- problems they are born with, 316–321
- severely ill, 214
- vaccinations for, 147, 296
- (See also Babies, Newborns)

**Chlamydia, 221, 234, 236–237, 355, 359, 378****Choking, 79, 314****Cholera, 158****Cigarettes (See Smoking)****Circulation, poor (See Varicose veins)****Circumcision, 74, 401, 404****Cirrhosis of the liver, 108, 148, 328****Cleanliness, 131–139**

- basic guidelines of, 133–139
- in childbirth, 260, 263
- of children, 136, 296
- of equipment, 74, 401
- of mouth and teeth, 229–231
- personal cleanliness, 39, 41, 133–135
- public cleanliness, 137–139
- to prevent infection, 74, 84, 401, 414
- when injecting, 68, 74, 401

**Cleft palate, 318–319, 421****Climacteric (menopause), 246****Clitoris, 233****Clubbed feet, 319****Cocaine, 416–417****Coitus interruptus, 285, 294****Cold and hot sicknesses, 119****Cold compresses, 193–194****Colds and the 'flu', 45, 57, 163, 308**

- diet with, 123

**Cold sores or fever blisters, 48, 171, 232, 402****Cold weather, 408–409****Colic (gut cramps), 35, 145, 157, 421****Colostrum, 277, 421****Coma, 78, 421****Combination medicines, 52, 397****Combined methods of birth control, 285, 292****Comfort of a sick person, 39****Complications from abortion, 243, 414–415****Compresses, 193–195, 421****Condom, 239, 285, 287, 395, 401****La Congestión, 23****Conjunctivitis, 219–221, 308****Constipation, 16, 126**

- as a sign of acute abdomen, 94
- during pregnancy, 248
- treatment and prevention, 126, 382

**Consumption** (See Tuberculosis)  
**Contact dermatitis**, 204, 421  
**Contraception**, 283–294, 393–396  
**Contraceptive foam**, 290, 395  
**Contractures**, 314, 421  
**Convulsions**, (See Seizures, Spasms)  
**Cooperatives**, w24  
**Cornea**, 217, 218, 224, 225, 226, 228  
**Corn silk**, 12  
**Corns**, 210, 421  
**Cortico-steroids**, 51, 129, 370  
**Cortisone**, 51  
**Cough**, 168–169  
     chronic, 168, 324, 400  
     common causes, 168  
     cough with blood, 140, 171, 174, 179  
     medicines for, 52, 383  
     smoker's, 149  
**Counting days method**, 291–292  
**Cradle cap**, 215  
**Cramps**, 421  
     gut, 12, 35, 106, 145, 147, 243, 380  
     heat, 81  
**Cretinism** (See Hypothyroidism)  
**Crop rotation**, w13, 115, 117, 427  
**Cross eyes**, 223, 318  
**Crutches, how to make**, 315  
**Cupping**, 22, 421  
**Cuts**, 84–86  
**CVA (Cerebro-vascular accident)**, 37, 78, 288, 327  
**Cyst**, 143, 243, 280, 421

## D

**Dacryocystitis**, 223  
**Dandruff**, 215, 421  
**Dandy fever** (See Dengue)  
**Dangerous illnesses**, w28, 42, 179–192  
**Dangerous use of medicine**, 50  
**Date of expiration**, 332  
**Deafness**  
     home cure for, 11  
     in children, 318  
     with ringing and dizziness, 327  
**Death, accepting**, 330  
**Decongestants**, 164, 165, 421  
**Defects, birth**, 7, 289, 316–321, 421  
**Deformities**, 421  
     from birth, 289, 316–321  
     with leprosy, 191–192  
**Dehydration**, 151–152, 421  
     and diarrhea, 46, 155  
     causing sunken fontanel, 9, 274  
     danger of laxatives with, 15, 382  
     medicine not to take, 52–53, 156  
     prevention and treatment, 152, 156, 381  
**Delhi boil** (See Leishmaniasis)  
**Delirium**, 24, 421  
     and malaria, 186  
     and typhoid, 189

**Dengue**, 187  
**Dermatitis, contact**, 204, 421  
**Diabetes**, 127, 251, 329, 410  
**Diaper rash**, 215, 422  
**Diaphragm**, 285, 291, 395  
**Diarrhea**, 151–160  
     and dysentery, 144–145, 153, 306  
     babies with, 159, 271  
     causes of, w7, 17, 107, 132–33, 135, 153, 399, 400  
     causing sunken fontanel, 9  
     home cures for, 11  
     prevention of, w7, 46–47, 154  
     severe, 151, 160  
     treatment of, 58, 152, 155–158, 383  
     with blood, 144–145, 157–158, 306, 401  
     with vomiting, 151, 157  
     with worms, 142  
**Diet**, 421  
     congestion and, 23  
     for fever, 8  
     for postpartum mothers, 8, 123, 276  
     for sick persons, 40, 123  
     for small children, 120–122  
     for specific diseases, 40, 124–130, 154–156  
     harmful ideas about, 123  
     things to avoid, 119  
     what to eat to stay healthy, 110–111  
     while taking medicines, 123  
     with oral contraceptives, 286  
     (Also see Foods, Nutrition)  
**Diets for specific diseases**, 40, 124–130  
     acid indigestion, heartburn, and ulcers, 128–129  
     anemia, 124  
     constipation, 16, 126, 382  
     diabetes, 40, 127  
     diarrhea, 155–156, 159  
     goiter, 130  
     high blood pressure, 125  
     people who are too heavy, 126  
**Digestion**, 13  
**Diphtheria**, 147, 296, 313–314  
**Direct pressure**, 82  
**Disability**  
     how injections cause, 74, 314  
     in children, 74, 314, 318–321  
**Diseases** (see sicknesses)  
**Dislocations**, 38, 101, 316, 422  
**Dizziness**, 327, 249  
*Dolor de ijar*, 22  
**Dosage information**, 340  
**Double vision**, 227  
**Douche**, 241, 247, 258, 281, 293, 422  
**Down syndrome (mongolism)**, 318, 425  
**D.P.T. vaccination**, 147  
**Drinking (alcohol)**, 148–149, 318, 325, 326, 328  
     400, 416  
**Drowning**, 79, 422  
**Drug abuse**, 399, 401, 416–417  
**Dry eyes**, 107, 113, 226, 391  
**Dry malnutrition (marasmus)**, 112–113

**Dumdum fever** (See Leishmaniasis)  
**Dysentery, 144–145, 422** (Also see Diarrhea)

**E****Ears**

how to examine a sick person's, 34  
 infections of, 309  
 nodes behind, 88  
 ringing of, 107, 327

**Earwax, 405****Eclampsia, 249, 390, 422****Ectopic pregnancy, 22, 36, 93, 243, 249, 280, 414****Eczema, 216****Emergency**

contraception, 288, 394–395  
 problems of the gut, 93–95  
 supply of medicines, 332  
 use of injections, 66

**Emergencies caused by cold, 408–409****Emergencies caused by heat, 81****Empacho, 22****Emphysema, 170****Enema, 15, 76, 92, 422****Energy foods, 110–111****Enterobius (pinworm, threadworm), 141****Epilepsy, 38, 178, 319, 388–390****Epsom salts, 16****Erysipelas, 212****Evaluation, w20, 422****Evil eye, 5, 422****Examining**

a pregnant woman, 250–253  
 a sick person, 29–38  
 breasts, 279  
 eyes, 33, 217  
 eyesight, 223  
 for appendicitis, 36, 95  
 for hernia, 94, 317  
 for knee reflexes, 183

**Excision, 404****Exhaustion, heat, 81****Expectorants, 52, 383, 422****Experimenting, w15****Extra finger or toe, 318–319****Eyes, 217–228**

cross eyes, 223  
 danger signs, 33, 217, 227  
 dryness of, 107, 113  
 examining the eyes, 33  
 eye problems of older people, 227, 323  
 eye problems with leprosy, 192  
 foreign objects in eyes, 48, 218  
 of newborns, 221, 270, 378, 391  
 red and painful, 219, 225  
 spots and “floaters”, 227, 323  
 yellow, 30, 172, 274, 328, 329

**Eyesight testing, 223****F****Face**

dull, 318  
 lumpy skin on, 191  
 paralysis of, 37, 327

**Fainting, 78, 79, 81, 325, 327*****Falciparum malaria*, 158, 186, 363****False labor, 258****Family planning, w16, 246, 283–294, 393–396**  
 and infertility, 244**Farming, w13, 412–413****Farsightedness, 323, 422****Fatigue, 23, 124, 323, 400****Fats, 111, 121****Feces, 422**

and infections, 84, 96, 131  
 in home remedies, 11  
 in newborn's mouth and nose, 268  
 (Also see Stools)

**Feces-to-mouth, disease spread from, 131–133,**  
 140, 188**Feet**

clubbed, 319  
 loss of feeling in, 127, 162, 173, 191–192  
 swelling of, 113, 124, 144, 176, 248 249, 323

**Fertile days, 244, 291****Fetoscope, 252, 255, 422****Fever**

childbirth, 27, 276, 283  
 diet with, 8  
 high, 15, 75–76, 335  
 how to bring down, 75, 76, 335  
 in children, 306  
 in the newborn, 270, 273  
 patterns in different diseases, 26–27, 30, 31

**Fever blisters or cold sores, 48, 171, 232**

*La Fiebre*, 26

**Filmstrips, w22****Fire wood, 135****First aid, 75–106, 422****Fits** (See Seizures)**Flannel-graphs, w22****Fleas, 190****Flies**

and disease, w23, 135, 227–228, 406

**Flu, 45, 57, 163, 308, 422****Flukes, blood, 146, 376, 422****Fluoride, for teeth, 229****Foam, contraceptive, 285, 290, 395****Folic acid, 118, 321, 392, 422****Folk beliefs, 3, 6–8, 123**

(Also see Home remedies)

**Folk disease, 21–26****Follicles inside the eyelids, 220****Fontanel (soft spot)**

sunken, 6, 9, 151, 274  
 swollen, 274

(Also see Dehydration)

**Food poisoning, 23, 103, 135, 153, 161**

**Foods**

- at low cost, 116–118
- for a person with diarrhea, 155–156
- for sick persons, 41
- for small children, 120–122
- nutritious, 110–111, 295
- plant, 116
- producing, w11
- spoiled, 103, 135
- (Also see Diet, Nutrition)

**Fractions, 59–60, 340**

**Fractures** (See Broken bones)

**Fright, 24, 422**

**Frostbite, 409**

**Frozen skin, 409**

**Fungus infection, 19, 58**

- ringworm, tinea, 205–206, 371–372
- thrush, 232
- vaginal yeast, 242, 369

**G**

**Gallbladder, 422**

- home cure for, 12
- pain in, 36
- problems, 329

**Gangrene, 213**

**Garlic, 12, 241, 242**

**Gastritis, 128–129**

*Gelusil, 173*

**Generic medicines, 333, 339, 423**

**Genital herpes, 402–403**

**Genital warts, 373, 402**

**Genitals, 205, 232, 233–244, 423**

- sores on, 237, 402–403

**German measles (Rubella), 247, 312, 320**

**Germs, 19, 423**

**Giardia, 145, 336, 367–369, 423**

- and diarrhea, 153, 158

**Gila monster bite, 106**

**Glaucoma, 33, 222, 323**

**Gloves, rubber or plastic, 255, 262, 264, 401**

**Glue sniffing, 416**

**Goiter, 10, 130, 423**

**Gonorrhea, 221, 236–237, 359**

- (Also see Sexually transmitted infections)

**Grams, measuring in, 59–60, 423**

**Groin, lymph nodes in, 88, 238, 423**

- (Also see Hernia)

**Group discussions, w24 w27**

**Growth, children's, 107, 297–304**

*Guaco, 3*

**Guinea worm, 406–407**

**Gums, 229–232**

- bleeding of, 107, 231
- pale, 124
- swelling caused by medicine, 231

**Gut**

- cramps, 12, 106, 145, 157, 243, 380
- emergency problems of, 35, 93–94
- infection, 47, 131, 144–145, 153, 189
- obstructed, 22, 94

- out of anus (prolapse), 142
- outside a wound, 92
- wounds in, 92
- (Also see Abdomen, Swollen belly)

**H**

**Hair**

- changes with malnutrition, 107
- examination for lice, 200
- loss of, 107

**Hansen's disease** (See Leprosy)

**Hare lip, 318, 423**

**Hay fever, 34, 165, 427**

**Head**

- fungus infections of, 205
- injury, 37, 78, 91
- swollen lymph nodes on, 88

**Headaches, 162, 249, 410**

**Health, w7, w11**

**Health worker, w1 w7, w29, 43, 246, 340**

**Heart**

- attacks, 23, 325
- confusion with heartburn, 128
- trouble, 33, 310, 325, 410

**Heartbeat, 32–33, 77**

**Heartburn, 423**

- diet for, 128–129
- during pregnancy, 248
- medicines for, 380–381
- medicines to avoid, 54, 64

**Heat**

- cramps, 81
- exhaustion, 81
- stroke, 78, 81

**Hemorrhage** (See Bleeding)

**Hemorrhoids** (See Piles)

**Hepatitis, 26, 172, 416**

**Herbal teas, 1, 8**

**Herbs, curative, 12–13, 423**

**Hereditary problems, 18, 318–319, 321, 423**

**Hernia, 177, 423**

- during pregnancy, 256
- in groin of newborn, 317
- obstructing the gut, 94

**Heroin, 416–417**

**Herpes simplex or labialis** (See Cold sores)

**Herpes zoster, 204, 373, 400**

**Hexing, 2**

**High blood pressure, 125, 249, 325–326, 411**

**History, taking, 20, 25, 29, 44, 250–253, 423**

**HIV and AIDS, 20, 75, 153, 171, 236, 245, 286,**

- 290, 396, 399–401, 416
- and medicines, 396–398
- and pregnancy, 249, 398
- and shingles, 204
- and thrush, 232
- and tuberculosis, 179
- and vaccinations, 147
- caring for someone with, 401
- HIV test, 400
- preventing, 401

**Hives**, 68, 166, **203**, 423

**Home remedies**, 1–3

enemas and purges, 15

for infertility, 244

how to tell if they work, 10–11

questions and answers about, 6–8

sensible use of, w2, 24

**Home visits**, w24

**Hookworm (Uncinaria)**, 133, **142**, 296, 307

**Hordeolum (sty)**, 224

**Hormones**, 224, 287, 393, 423

**Hot and cold sicknesses**, 119

**Hot compresses, 193–195**, 406

**Housing**, w10

**Human immunodeficiency virus** (See HIV and AIDS)

**Hydrocele**, 317

**Hygiene** (See Cleanliness)

**Hypertension** (See High blood pressure)

**Hyperventilation, 24**, 423

**Hyphema**, 225

**Hypochondria**, 329

**Hypopyon**, 225

**Hypothermia**, 408

**Hypothyroidism, 318**, 423

**Hysteria**, 2, 24, **423**

## I

**Illnesses** (See Sicknesses)

*Imferon*, 51, 67

**Immunizations (vaccinations)**, 19, **147**, 296, 337

**Impetigo**, 25, **202**

**Implants (birth control)**, 285, **289–290**, 396

**Indigestion**

diet for, 128–129

during pregnancy, 248

medicines for, 380–381

medicines to avoid, 54, 64

**Infantile paralysis** (See Polio)

**Infants** (See Babies, Newborns)

**Infection**, 423

after giving birth, 276

and diarrhea, 154, 157

in newborns, 182–183, 275

in wounds, 88–89, 96, 213

medicines for, 55–58, 335–336

minor, 58

of the appendix, 94–95

of the eyes, 217, 219, 220, 221

of the genitals, 236–239, 241–242

of the gut, 94–95, 135, 140–146, 243

of the tear sac, 223

of the urinary tract, 234–235

resisting, 108, 120, 271

signs of a serious, 88, 194, 272–275

**Infectious diseases, 18–19**, 135, 423

**Infertility**, 244

**Inflamed tonsils (tonsillitis)**, 309

**Inhalers, for asthma**, 167, 384

**Injections**, 65–73

dangerous reactions from injections, 54, 70–71

emergencies needing, 66

faith in, w19, 4, 50

family planning, 289–290

medicines not to inject, 51, 56, 67

of vitamins, 118

risks and precautions, 68–69

supplies for, 336

that can disable children, 74, 314

to prevent pregnancy, 285, 293, 395

when to inject, 65, 67

**Injury**

moving an injured person, 99–100

of an unconscious person, 78

severe, 33

to the eye, 218

**Insecticides**, 19, 103, 187, 372, **412–413**, 423

**Insomnia (loss of sleep)**, **328**, 423

**Intestinal worms**, 13, **140–145**, 423

**Intestines** (See Gut)

**Intrauterine device (IUD)**, 281, 285, **290**, 395–396

**Intravenous solution (I.V.)**, 40, **53**, 67, 152

**Intussusception**, **94**, 424

**Iodized salt**, **130**, 318

**Iritis**, 33, 219, **221**

**Iron**

cooking pots, 117

foods rich in, 124

from nails in lemon juice, 118

pills, 51, 118, 124, 307, 335, 392, 405

**Itching**

caused by fungus, 205, 242

caused by medicines, 68, 70–71, 166

caused by plants, 204

medicines for, 335, 385

of hands with syphilis, 238

of the anus (pinworm), 141

rashes, allergies, 68, 166, 203, 236, 238

with chickenpox, 311

with scabies, 199

with worm infections, 140–142, 228

**IUD** (See Intrauterine device)

## J

**Jaundice**, 30, **172**, 274, 318, 321, 328–329, 392, 424

**Jock itch**, 205

**Joints, painful**, 101–102, 173, 310, 324

## K

**Kala azar** (See Leishmaniasis)

**Kangarooing**, **405**, 408

**Kidneys, 233–234**, 424

**Kidney stones**, **235**, 424

**Kilograms, measuring in**, **62**, 424

**Kwashiorkor (wet malnutrition)**, 30, **113**, 424



**L**

- Labor, 258–262**, 264, 424  
     false labor, 258  
     problems with labor, 267  
     signs that show labor is near, 258  
     stages of, 259–262  
     (Also see Childbirth)
- Land**  
     distribution of, w7, w11, 413  
     use of, w11, w13–w16, 115
- Latido*, 23
- Latrines**, 137–139, 153
- Laxatives, 15–16**, 382  
     misuse of, 126
- Lazy eye**, 223
- Leadership**, w5
- Learning**, w4, w21–w28, **322**
- Legs**  
     crossed like scissors, 320  
     examination of legs, 37  
     pain in, 288, 321
- Leishmaniasis**, 406
- Lepra reaction**, 191, 362
- Leprosy**, 10, 38, **191–192**, 206, 337, 362–363  
     or *lepra*, 25
- Lice**, 134, 190, **200**, 372
- Limits, knowing**, w4
- Liquids, 39–40**, 151
- Liters, measuring in**, 61, 424
- Liver, 36**, 424  
     abscesses, 144–145  
     diseases, 172, 288, 328  
     infection of, 172
- Liver extract**, 65, **67**
- Lockjaw** (See Tetanus)
- Loss of blood** (See Blood, Bleeding)
- Loss of consciousness** (See Unconscious person)
- Loss of feeling, 38**, 127, 162, 173, 191, 192, 279
- Loss of sight**, 225, 412
- Loss of sleep (insomnia)**, 328
- Loss of weight** (See Weight loss)
- Low body temperature**, 409
- Low back pain, 173**, 248
- Low blood pressure**, 411
- Lumps**  
     in the abdomen, 35, 243, 280  
     in the breast, 279  
     on face and body, 191, 228  
     that keep growing, 196, 280  
     (Also see Lymph nodes)
- Lung diseases**  
     and smoking, 149  
     asthma, 167  
     bronchitis, 170  
     pneumonia, 171  
     tuberculosis, 179
- Lymph nodes, swollen, 88**, 317, 424  
     caused by an abscess, 202  
     in the groin, 238, 403  
     signs of infection, 194

- TB of, 212  
     with AIDS, 400  
     with breast cancer, 279  
     with brucellosis, 188 or typhus, 190  
     with German measles, 312  
     with scabies or lice, 199, 200
- Lymphogranuloma venereum, 238**, 420

**M**

- Maalox*, 173
- Malaria, 186–187**  
     falciparum, 158, 363  
     fever pattern, 26  
     medicines for, 337, 363–367  
     with seizures, 307  
     with sickle cell disease, 321
- Malnutrition**  
     and diarrhea, 153–155  
     causes of, 115, 283, 412  
     checking for, 109, 112–113, 297–304  
     during pregnancy, 248  
     in children, 107, 114, 305–306  
     kinds of, 112–114  
     prevention and treatment of, 108, 109,  
         112–113, 155–156, 391–393  
     problems caused by, 107, 306  
     signs of, 30, 37, 108, 112, 113, 208–209, 305
- Malta fever (brucellosis), 27**, **188**
- Marasmus (dry malnutrition), 112**
- Marijuana**, 416
- Mask of pregnancy**, 207
- Massaging**  
     sprains or fractures, 99, 102  
     the birth opening, 269  
     the womb, 264–265
- Mastitis (breast abscess), 278**, 424
- Measles (Rubeola), 30**, 108, 226, **311**, 391  
     vaccination, 147, 312, 321
- Measuring**  
     blood pressure, 410–411  
     in pounds and kilos, 62  
     medicine, 59–61, 340
- Medical attention**  
     illnesses that always need, 179–192  
     when to seek, 43, 159
- Medicinal plants, 12–13**
- Medicine kit, 331–337**
- Medicines**  
     brand name, 55, 333, 339  
     care in giving to the newborn, 54, 272  
     dangerous misuse of medicine, 50–53  
     during or after birth, 266  
     during pregnancy, 54, 247, 398  
     for small children, 62  
     generic, 333, 339  
     guidelines for use, w18–w19, 49–73, 339–396  
     healing without medicines, 45–48  
     how to measure and give, 59–64, 340  
     how to write instructions for, 63–64  
     limited use of medicines, w18–w19, 49  
     medicines not to inject, 56



reactions to, 68, 70–71, 350  
 uses, dosage, and precautions, 339–398  
 when not to take them, 54–64

**Ménière's disease**, 327

**Meningitis**, 185, 275, 307

**Menopause**, 246, 424

**Menstrual period**, 245–246, 281, 291–292, 393–396

**Mental problems**, 18, 318

**Mental slowness**, 114, 306, 318, 320–321, 426

**Microscope**, 19, 144

**Midwives**

danger signs in pregnancy, 249  
 information for, 245–282  
 prenatal care, 250  
 special risk at birth, 256  
 things not to do, 260  
 things to have ready before birth, 254–255

**Migraine**, 162, 424

**Milk**

and brucellosis, 188  
 and diarrhea, 156  
 and ulcers, 129  
 powdered, 391  
 (Also see Breastfeeding)

**Milk of magnesia**, 16, 382

**Mineral oil**, 16, 382

**Minerals**, 111, 116–118, 425

**Minipill**, 285, 288, 394

**Miscarriage (spontaneous abortion)**, 246, 249, 266, 281, 414

**Models for teaching**, w22

**Mongolism** (See Down syndrome)

**Morning sickness**, 248, 287

**Mosquitos**, 186–187

**Mothers**

health after childbirth, 276, 280  
 health and sicknesses of children, 295–321  
 information for, 245–282  
 prenatal care, 250–253  
 (Also see Family planning)

**Mouth**, 107, 229–232

**Mouth-to-mouth breathing**, 78–80, 413

with newborns, 262

**Moving an injured person**, 99–100

**Mucus, how to drain**, 169, 425

**Mucus method**, 285, 292

**Mumps**, 312

**Muscles**

examining, 37–38  
 lack of control of, 320

## N

**Narrow-spectrum antibiotics**, 56, 425

**Natural balance**, 58

**Nausea** (See Vomiting)

**Navel (umbilicus)**, 425

cutting the cord, 262–263  
 hernia of navel, 317, 318  
 infection of navel, 182, 272

**Neck**

broken, 99  
 stiff, 38, 182–185, 274

**Needs, felt and long-term**, w8–w12

**Needles**, 74, 399, 401

**Neonatal conjunctivitis**, 221  
 (Also see Newborns)

**Nerves**, 425

muscles and, 37–38

**Nevirapine**, 249, 400

**Newborns**

and tetanus, 182–183  
 bacterial infection of the blood, 275  
 bathing, 7, 263, 270  
 eyes, 221, 237, 270  
 feeding, 120, 263, 271  
 hernia, 317  
 illnesses of, 272–275  
 medicines for, 54, 272, 337  
 problems with delivery, 268  
 small, early, and underweight, 405  
 the cord, 262–263, 270  
 twins, 269  
 (Also see Dehydration)

**Night blindness**, 113, 226–227, 337

**Nodes** (See Lymph nodes)

**Non-infectious diseases**, 18

**Nose, stuffy or runny**, 164–165, 383

**Nosebleed**, 11, 83

**Numbness** (See Loss of feeling)

**Nutrition**, w11, w13–w16, 107–130, 295  
 (Also see Malnutrition)

## O

**Obstructed gut**, 22, 94

(Also see Gut)

**Older persons**, 83, 214, 235, 323–330

**Onchocerciasis**, 227–228, 377

**Opium**, 416

**Oral contraceptives**, 285–289, 393–394

**Outhouses**, 137–139

**Ovarian cyst**, 280

**Ovaries**, 36, 280, 425

**Oxytocics**, 50, 265–266, 319, 390

**Oxyuris (pinworm, threadworm)**, 141

## P

**Pain**

asking about, 29  
 back, 173–174, 248  
 chest, 179, 325  
 in the belly, 12, 35–36, 94–95, 128, 146, 243  
 in the eye, 217, 219, 221, 222  
 in the joints, 101–102, 173, 310, 324  
 in the leg, 288  
 in the teeth, 165, 231  
 in urination, 146, 235–236, 239, 242–243  
 medicines for, 19, 52, 75–76, 162, 335, 378–380  
 (Also see Cramps, Headaches)

**Pannus**, 220

**Pap smear**, 280

**Papaya**, 13

**Paralysis**

- examining for, 37
- from pesticides, 412
- from ticks, 201
- in a spastic child, 320
- in leprosy, 191
- in polio, 314–315
- in stroke, 37, 327
- in TB of backbone, 180
- of face, 37, 327

**Parasites**, 19, 425

- intestinal, 19, 140–145, 308
- on skin, 19, 199–201

**Patient report**, 44

**Pellagra**, 114, 208–209

**Pelvic inflammatory disease**, 237, 243, 244, 395

**Penis**, 199, 232, 233, 235–240, 286, 402–403

**Peritonitis**, 94–95, 129, 189, 425

**Pertussis** (See Whooping cough)

**Pesticides**

- burns in eyes, 219
- causing birth defects, 247
- misuse of, 412–413

**Pharmacist, words to**, 338

**Phlebitis**, 288

**PID** (See Pelvic inflammatory disease)

**Piles (hemorrhoids)**, 16, 175, 423

- during pregnancy, 248
- medicine for, 391

**the Pill (for birth control)**, 285, 288–289, 393–394

**Pimples**, 211, 419

- (Also see Chickenpox)

**Pink eye**, 219–221, 308

**Pinta**, 207

**Pinworm (threadworm, Enterobius)**, 12, 141

**Placenta (afterbirth)**, 262–264, 269, 426

**Placenta previa**, 249, 426

**Plantar warts**, 210

**Plants**

- medicinal, 12–13
- that cause itching, 204

**Play acting**, w23

**Pneumonia**, 27, 41, 171, 399, 400

**Poisoning**, 103

- food, 23, 135, 153, 161
- urine, 239–240

**Poisonous**

- bites, 104–106
- plants, 204

**Poliomyelitis (infantile paralysis)**, 314

- signs of, 37
- vaccination, 147, 296, 314

**Population**, w10, 115

**Posters**, w22

**Postpartum**, 426

- diet, 123
- hemorrhage, 266, 390

**Postural drainage**, 169

**Power of belief or suggestion**, 2–5, 24, 426

**Pre-eclampsia**, 176, 249, 251, 422

**Pregnancy**, 247–255, 286

- anemia during, 124, 248–249, 391–392
- bleeding during, 249, 264, 281
- check ups during, w24, 250–253, 410
- danger signs in, 249–251
- difficulty becoming pregnant, 244
- ectopic, 22, 36, 93, 243, 249, 280, 414
- German measles during, 247, 312
- growth and position of baby, 251–252, 257
- how to prevent, 283–295
- how to stay healthy during, 247
- how to tell the baby's birth date, 252
- medicines during, 6, 54, 247, 398
- minor problems of, 174, 248, 251
- nutrition during, 118, 250
- record of prenatal care, 253
- signs of, 247
- supplies to have ready before birth, 254–255
- (Also see Family planning)

**Pregnancy mask**, 207

**Prenatal care**, 250–253

**Presentation of an arm**, 268, 426

**Pressure points**, 82

**Pressure sores** (See Bed sores)

**Preventive medicine**, w17, 17, 131–150

- cleanliness, 131–136
- how to avoid many sicknesses, 108, 148–150, 242, 326
- sanitation, 137–139
- sexually transmitted infection, 239, 401–403
- vaccinations (immunizations), 147
- worms and other intestinal parasites, 140–146

**Prolapse of the rectum**, 142, 426

**Prophylactic (condom)**, 239, 285, 290, 395, 401–403

**Prostate gland**, 233, 235–236, 426

**Protective foods**, 110, 426

**Proteins**, 110, 111, 112, 113, 116–118, 121

**Psoriasis**, 216

**Pterygium**, 224, 426

**Pulling out (to prevent pregnancy)**, 285, 293

**Pulse**, 32–33, 41, 410–411, 426, inside back cover

**Pulsing or throbbing of stomach**, 23

**Pupils, examining**, 217

**Purges**, 15–16

- misuse of, 92, 126

**Pyorrhea**, 231

## Q

**Questions to ask a sick person**, 29, 44

## R

**Rabies**, 181

**Rash on the skin**, 216, 236, 400

- diaper rash, 215, 421
- like tiny bruises (typhus), 190
- of allergic reaction, 68, 166, 203–204, 356
- of chickenpox, 311

- of German measles, 312
- of measles, 30, 311
- of syphilis, 238
- of typhoid, 189
- preventing, 133
- with itching, 199–200, 203

**Reactions** (See Allergic reactions)

**Rebound pain**, 35, **95**, 426

**Rectum**

- prolapse of, 142, 426

**Reflexes, testing**, **183**, 426

**Rehydration Drink**, **152**, 311, 381, 400, 426

- and vomiting, 161
- as an enema, 15
- for acute abdomen, 95
- for dehydration, 9, 46, 158, 306
- for newborns, 273
- for very sick persons, 40, 53

**Remedies** (See Home remedies)

**Resistance**, 426

- to antibiotics, w19, 57–58, 237, 350
- to infection, 108, 120, 271

**Resources**, w8, w12, 115, 283, 426

**Respiration** (See Breathing)

**Retardation, mental** (See Mental slowness)

**Rheumatic fever**, 27, **310**

**Rheumatoid arthritis**, 324

**Rhinitis, allergic (hay fever)**, **165**, 426

**Rhythm method**, (See Counting days method)

**Ribs, broken**, 99

**Rickets**, 125

**Ring of the ears, deafness, and dizziness**, 107, **327**, 358, 361, 378

**Ringworm**, 11, **205–206**, 371

**River blindness**, **227–228**, 377

**Road to health chart** (See Child Health Chart)

**Rotating crops**, w13, 115, 117, 427

**Roundworm (ascaris)**, 140–141

**Rubber (condom)**, 239, 285, **290**, 395, 401–403

**Rubella** (See German measles)

**Rubeola** (See Measles)

**Rupture** (See Hernia)

## S

**Salt**

- iodized, 130, 247, 318
- purges, 16
- using little, 120, 125, 176, 249, 325, 326

**Sanitation**, w10, **137–139**, 153, 427

**Scabies**, 34, **199–200**, 335, 372

**Scales (to weigh babies)**, 297

**Scars**

- on the cornea, 224, 226, 228
- on the eyelids, 220
- preventing burn scars, 97

**Schistosomiasis**, 146, 337, 376

**Scorpion sting**, 11, 70, **106**, 337, 387

**Scrofula**, 212

**Scrotum**, 233, 427

- small sores on, 199
- swollen, 317

**Seborrhea**, 215

**Seizures**, 23, **178**, 422

- caused by high fever, 76
- from birth defects, 273, 319
- in cerebral malaria, 186, 366
- in children, 307, 319
- in meningitis, 185
- in pregnant women, 249, 390
- medicines for, 336, 388–390
- (Also see Spasms)

**Senna leaf**, 16

**Septicemia**, 275, 427

**Serious illnesses**, w28, 42, **179–192**

**Seven year itch**, 199–200, 335, 372

**Sexually transmitted infections (STI)**, 236–239, 285–286, 290, **399–403**, 427, 428

**Sheath** (See Condom)

**Shigella**, 145, 158, 353, 358

**Shingles**, **204**, 373, 400

**Shock**, 30, **77**, 325, 427

- allergic, 70, 105, 166, 350
- from serious burns, 97
- heartbeat during, 33, 410–411
- in postpartum mother, 265

**Shoulder, dislocated**, 101

**Sickle cell disease**, 30, 321, 392

**Sicknesses**

- causes of, 17–20, 107
- common, 151–178
- dangerous, w28, 42, 179–192
- “home,” 21
- “hot” and “cold,” 119
- infectious, 18–19
- non infectious, 18
- of children, 215, 272–275, 311–314
- of older people, 323–330
- of women, 241
- prevention of, 131–150
- spread of, 131–137, 140, 188–189, 237–239, 399
- telling apart, 20–21, 26–27

**Side pains**, 22

**Signs**, 20, **29**, 427

**Sinus trouble (sinusitis)**, 165, 427

**Skin**

- cancer of, 211, 399
- chart of different diseases, 196–198
- diseases, 193–216, 406, 421
- dryness of, 107, 208
- how to examine, 34
- in children, 215, 308
- medicines for, 334–335, 370–373
- painless sores, 191, 237, 279
- TB of, 179, 212
- ulcers, 212–213

**Slipped disc**, 173

**Slowness** (See Defects, Mental problems)

**Smallpox**, 147

**Small sores with pus**, 201, 211

**Smoking**

- during pregnancy, 318, 416
- problems caused by, 119, 129, 149–150, 289, 325, 326, 400, 416

**Snails**, 146

**Snakebite**, 104–105

antitoxin, 70, 105, 337, 387  
home cure for, 3

**Soaks**, 102

**Social conditions**, 283, 401, 415, 417

**Soft drinks**, 155, 161, 229

**Soft spot** (See Fontanel)

**Solda con solda**, 14

**Sores**

bed sores, 41, 214  
chronic, 20, 127, 212, 213, 236, 324, 406  
large, open, 127, 213–214  
mouth, 232  
of the feet, 324  
on penis or genitals, 199, 205, 232, 237, 238, 242, 400, 402–403  
sugar or honey treatment for, 213, 214  
that keep growing, 127, 191, 211, 213, 214  
without feeling, 191, 237, 279  
with pus, 199, 201, 406  
(Also see Skin)

**Sore throat**, 163, 309–310

**Spasms**, 183, 427

in spider bite, 106  
in tetanus, 182–184  
(Also see Seizures)

**Spastic**, 38, 319–320

**Sperm**, 233, 244

**Spermicide**, 285, 290, 395

**Sphygmomanometer**, 410

**Spider bite**, 106

**Spleen, large**, 158, 186, 392, 427

**Sponge method**, 294

**Spontaneous abortion** (See Miscarriage)

**Spots before the eyes**, 227

**Sprains**, 102, 427

**Spread of disease, 131–137**, 140, 190, 237–239, 399–403

**Squint**, 223

**Starches**, 110, 203, 408, 427

**Starvation** (See Malnutrition)

**Sterile**, 427

bandages, 87  
men and women, 236, 244, 412

**Sterilization**, 427

of equipment, 74, 401  
of syringes, 69, 72, 74  
to prevent pregnancy, 285, 293

**Steroids**, 51

**Stethoscope**, 410

**Sting**

bee, 70  
scorpion, 106

**Stitches (sutures)**, 86, 255, 269, 423  
anesthetics for, 379

**Stomach ache**, 12, 93, 427  
(Also see Belly, Cramps)

**Stomach ulcers, 128–129**, 149, 380–381

**Stools**

in acute abdomen (obstruction), 94  
in diarrhea (dysentery), 144–145  
like rice water, 158  
white or pale, 172  
with blood, 128, 146, 189  
with schistosomiasis, 146, 376  
with typhoid, 189–190  
with ulcer (black, tarry stools), 128  
(Also see Constipation, Feces)

**Story telling**, w23

**Strabismus**, 223

**Strains**, 102

**Strep throat**, 310

**Stretcher**, 100

**Stroke**, 37, 78, 288, 327, 410  
(Also see Heat stroke)

**Sty (hordeolum)**, 224, 427

**Suction bulb**, 84, 255, 262, 268

**Sugars**, 110, 111, 427

**Sulfonamides**, 55, 356

**Sunken fontanel** (See Fontanel)

**Sunlight**

and acne, 211  
and rickets, 125  
and skin problems, 195

**Supplies**

for childbirth, 254–255  
for the medicine kit, 334, 336

**Suppressants**, 427

cough, 52, 383

**Surgery**

immediate need for, 91–95, 177, 222, 267  
possible need for, 102, 175, 177, 211, 222, 225, 235, 243, 279, 280, 293, 317, 319, 329

**Susto**, 24

**Suture** (See Stitches)

**Sweets**, 115, 119, 122, 229, 408

**Swelling**

breast swelling and lumps, 278–279  
caused by medicine, 68, 70–71, 231  
home cure for, 12  
in old age, 323  
of broken arms or legs, 14  
of hands and face, 108, 239, 249  
of strains and sprains, 102  
of the eyes, 144, 221, 313  
of the feet, 113, 124, 144, 176, 248–249, 321  
of the scrotum or testicles, 312, 317  
with infection, 194  
(Also see Lymph nodes, Swollen belly, Varicose veins)

**Swollen belly**

different causes of, 20  
in children, 107, 112, 114, 321  
in giardia infection, 145  
in gut obstruction, 94  
in malnutrition, 112, 114  
in pregnancy, 248, 249  
(Also see Gut)

**Symptoms**, 29

**Syphilis**, 10, **237–238**, 403

**Syringe**, **72**, 74, 336, 339, 401, 405

## T

**Taboo**, **23**, 428

**T.A.L.C.**, 297, 431

**Tapeworm**, **143**, 375

**TB** (See Tuberculosis)

**Teaching**, w2, w4–w5, **w21–w28**, 321

materials, addresses for, 429–432

**Tear sac, infection of**, 217, **223**

**Teaspoons, for measuring**, 61

**Teeth**, 133, **229–232**

**Temperature**, **30–31**, 272, 409, inside back cover  
(Also see Fever)

*Tepeguaje*, 14

**Testicles**, 233, 286

swellings of testicles, 312, 317

**Tetanus (lockjaw)**, 182–184

from a wound, 84, 89, 105–106, 388, 407

in the newborn, 182–183, 273

medicine for, 184, 336–337, 388

vaccination, 147, 184, 296

**Thalassemia**, **392**, 428

**Thermometer**, **31**, 334

**Threadworm (pinworm, Enterobius)**, 141

**Throat**

lump on the throat, 10, 130, 423

object stuck in, 79

sore throat, 163, 309–310

**Throwing up** (See Vomiting)

**Thrush (Candida)**, 232, 400

**Ticks**, 190, **201**, 428

**Tinea**, 205–206

**Tinea versicolor**, 206

**Tobacco**, 129, 416–417

**Tongue**, 232

**Tonsillitis (Inflamed tonsils)**, 309

**Toothache**, 231

**Toothbrush, homemade**, 230

**Toothpaste**, 230

**Toxemia of pregnancy** (See Pre-eclampsia)

**Trachoma**, 220

**Traditions**, w3, w11, 1, 2, 21

**Trichinosis**, 144

**Trichocephalus (whipworm, Trichuris)**, 142

**Trichomonas**, 241

**Trichuris (whipworm, Trichocephalus)**, 142

**Tropical sore** (See Leishmaniasis)

**Tubal ligation**, 294

**Tuberculosis**, 108, **179–180**, 337

and AIDS, 396, 400

and children, 136

and measles, 311

medicines for, 359–361

of the lymph nodes, 212

of the skin, 212

of the spine, 173

signs of, 30, 37

vaccination, 147

**Tumors** (See Cancer)

**Twins**, 251, 256, **269**, 289

**Twisted joint (sprain)**, 102

**Typhoid fever**, **188–190**

fever pattern, 26

medicines for, 356

pulse with, 33

resistance to medicines, 58

**Typhus**, 26, **190**

## U

**Ulcer**, 428

on the cornea (eye), 224–225

skin, 20, 212, 213, 324

stomach, 13, 36, 53, 128–129, 149, 381

**Umbilical cord**, 428

and tetanus, 182

how to cut, 262–263

infection of, 270, 272

wrapped around the baby's neck, 268

**Umbilical hernia**, 317, 318, 428

**Umbilicus** (See Navel)

**Uncinaria (hookworm)**, 133, **142**

**Unconscious person**, **78**, 424

breathing of, 32

difference in pupil size, 33

in shock, 77

**Under-Fives Program**, w20, w24, **297**, 428

**Undulant fever (brucellosis)**, 27, **188**

**Units, measuring in**, 60

**Uremia**, 239–240

**Ureters**, 233

**Urethra**, 233, 235, 286, 428

**Urination, difficulties with**, 234–236, 239–240, **324**, 403, 410

**Urinary tract**, 36, **233–234**, 428

**Urine**

blood in, 146, 234, 376

brown, 172

dark yellow, 151

less than normal, 151, 236

too much or often, 127, 234

pus in, 236

**Using this book, inside front cover**, w28

**Uta** (See Leishmaniasis)

## V

**Vaccinations**, 19, **147**, 180, 250, 296, 321, 337, 405

**Vagina**, **233**, 286, 428

infections of, 241–242, 369

placenta blocking, 249

tearing during birth, 269

**Vaginal discharge**, **241–242**, 369

**Vapors, breathing hot water vapors**, 47, **168**

**Varicose veins**, **175**, 213, 288, 410, 428

and chronic sores, 20, 212, 213, 324

during pregnancy, 248

**Vasectomy**, 294

**Venereal diseases (VD)** (See Sexually transmitted infection)

**Venereal lymphogranuloma**, 238, 420

**Ventilated improved pit latrine**, 139

**Verrucase (warts)**, 210

**Village health committee**, w24

**Village health worker**, w1–w7, w29, 43, 340

**Village medicine kit**, 336–337

**VIP latrine**, 139

**Virus**, 19, 399–401

**Vision** (See Eyes)

**Vital signs**, 41, inside back cover

**Vitamins**, 110, 111, 116–118, 391–393, 405

injections of, 65, 67, 118

the best way to get, 52, 118

vitamin A, 226, 391

vitamin B, 208

vitamin C, 248, 335,

vitamin B<sub>6</sub>, 360, 393

vitamin B<sub>12</sub>, 51, 65, 392

vitamin K, 265, 272, 337, 392

(Also see Iron, Zinc)

**Vitiligo**, 207

**Vomiting**, 161

during pregnancy, 248, 249

enemas and laxatives with, 15

how to cause vomiting, 103, 388

in the newborn, 273

medicines for, 161, 335, 385–386

violent vomiting, 151

with blood, 128, 328

with diarrhea, 151, 157

with urine poisoning (uremia), 239

## W

**Wandering eyes**, 223

**Warm compresses**, 193–195

**Warts**, 210, 212, 400, 402

**Water, healing with**, 45–48

and cleanliness, 46, 131, 135, 137–139, 144, 146

and spread of disease, 146, 188

for fever, 75

to ease pain of burns, 96

vapors, 47, 168, 383

**Weakness, fatigue**, 23, 124, 323, 400

**Weight**

and diet, 110–111, 127

deciding dosage by, 340

homemade scales, 250

importance of losing, 125–127, 325–326

in pounds and kilos, 62

measuring medicines, 59–61

weight gain, in children, 297–304

weight gain in pregnancy, 247, 250

**Weight loss**

chronic, 179, 180, 400

different causes, 20

how to lose weight, 126

in the newborn, 273

sudden (dehydration), 151

(Also see Malnutrition)

**Welts (hives)**, 68, 203, 238

**Wet malnutrition (kwashiorkor)**, 113

**Whipworm (Trichuris, Trichocephalus)**, 142

**White spots and patches on the skin**, 206–207, 232

**Whooping cough (pertussis)**, 168, 313

medicines for, 313

vaccination, 147, 296

**Witchcraft**, 5, 24

**Withdrawal**

from drug addiction, 417

to prevent pregnancy, 285, 294

**Womb**, 286, 428

cancer of, 280

contractions of, 258, 266

infection (See Childbirth fever)

massaging, 264–265

position of the baby in, 251, 257

**Women's health care**, 241

**Working together**, w5, w24

**Worms, 140–146**, 227–228, 406–407

causing obstructed gut, 94

in children, 308

medicines for 335, 373–375

prevention of, 47, 131–134

**Wounds**

abdomen, 92

bullet, 90–93

chest, 91

controlling bleeding of, 82

deep, 89–92

from a broken bone, 99

how to close them, 85–86

infected, 88–89, 213, 401

knife and bullet, 89–93

medicines for, 93, 334

small, 84

that may cause tetanus, 89, 182

to the eye, 217–218

## X

**Xerophthalmia**, 113, 226, 306, 337, 391, 428

**Xerosis** (See Xerophthalmia)

**X ray**, 102

## Y

**Yaws**, 198, 202, 238

**Yeast infection**, 19, 58, 232, 242, 369–370, 372

**Yesca**, 11

**Yogurt**, 57, 155, 232, 242

## Z

**Zinc**, 155, 159, 393